

**QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA**
(final)
HOURLY OBSERVATIONS TABLE
HERNANDO COUNTY AIRPORT (12818)
BROOKSVILLE , FL
(10/2010)

Elevation: 66 ft. above sea level
Latitude: 28.474
Longitude: -82.454
Data Version: VER2

Date	Time (LST)	Station Type	Sky Conditions	Visibility (SM)	Weather Type	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Humd %	Wind Speed (MPH)	Wind Dir	Wind Gusts (MPH)	Station Pressure (in. hg)	Press Tend	Net 3-hr Chg (mb)	Sea Level Pressure (in. hg)	Report Type	Precip. Total (in)	Alti-meter (in. hg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
07	0053	12	CLR	10.00		50	10.0	49	9.4	48	8.9	93	0	000		30.01	0	003	30.08	AA		30.09
07	0149	12	CLR	1.75	BR	48	9.0	47	8.3	46	8.0	93	0	000		30.00		M	SP			30.08
07	0151	12	CLR	1.25	BR	48	9.0	47	8.3	46	8.0	93	0	000		30.00		M	SP			30.08
07	0153	12	CLR	1.25	BR	50	10.0	49	9.4	48	8.9	93	0	000		30.00		M	AA	30.07		30.08
07	0158	12	CLR	2.00	BR	50	10.0	49	9.4	48	9.0	93	0	000		30.00		M	SP			30.08
07	0205	12	CLR	10.00		48	9.0	48	8.8	48	9.0	100	0	000		30.00		M	SP			30.08
07	0233	12	CLR	1.75	BR	46	8.0	46	7.5	45	7.0	96	0	000		29.99		M	SP			30.07
07	0236	12	CLR	0.75	BR	45	7.0	45	7.2	45	7.0	100	0	000		29.99		M	SP			30.07
07	0245	12	CLR	1.75	BR	45	7.0	44	6.6	43	6.0	93	0	000		29.99		M	SP			30.07
07	0251	12	CLR	4.00	BR	45	7.0	44	6.6	43	6.0	93	0	000		29.99		M	SP			30.07
07	0253	12	CLR	4.00	BR	46	7.8	45	6.9	43	6.1	89	0	000		29.99		M	AA	30.06		30.07
07	0301	12	CLR	1.50	BR	46	8.0	46	7.5	45	7.0	96	0	000		29.99		M	SP			30.07
07	0319	12	CLR	0.50	FG	46	8.0	46	7.5	45	7.0	96	0	000		29.99		M	SP			30.07
07	0353	12	CLR	2.50	BR	46	7.8	46	7.5	45	7.2	96	0	000		29.98	6	M	AA	006		30.06
07	0402	12	CLR	7.00		46	8.0	46	7.5	45	7.0	96	0	000		29.98		M	SP			30.06
07	0432	12	CLR	1.50	BR	43	6.0	43	6.1	43	6.0	100	0	000		29.99		M	SP			30.07
07	0441	12	CLR	0.75	BR	43	6.0	43	6.1	43	6.0	100	0	000		29.99		M	SP			30.07
07	0445	12	CLR	2.00	BR	45	7.0	44	6.6	43	6.0	93	0	000		29.99		M	SP			30.07
07	0451	12	CLR	10.00		43	6.0	43	6.1	43	6.0	100	0	000		29.99		M	SP			30.07
07	0453	12	CLR	8.00		43	6.1	42	5.6	41	5.0	93	0	000		29.99		M	AA	30.06		30.07
07	0503	12	CLR	1.50	BR	43	6.0	42	5.6	41	5.0	93	0	000		29.99		M	SP			30.07
07	0516	12	CLR	0.50	FG	45	7.0	44	6.6	43	6.0	93	0	000		29.99		M	SP			30.07
07	0537	12	CLR	2.00	BR	45	7.0	45	7.2	45	7.0	100	0	000		29.99		M	SP			30.07
07	0545	12	CLR	4.00	BR	46	8.0	46	7.5	45	7.0	96	0	000		30.00		M	SP			30.08
07	0553	12	CLR	8.00		43	6.1	43	5.8	42	5.6	96	0	000		30.00		M	AA	30.07		30.08
07	0602	12	CLR	1.75	BR	45	7.0	44	6.6	43	6.0	93	0	000		30.00		M	SP			30.08
07	0607	12	CLR	0.75	BR	43	6.0	43	6.1	43	6.0	100	0	000		30.00		M	SP			30.08
07	0615	12	CLR	1.75	BR	43	6.0	43	6.1	43	6.0	100	0	000		30.00		M	SP			30.08
07	0624	12	CLR	1.50	BR	45	7.0	44	6.6	43	6.0	93	0	000		30.00		M	SP			30.08
07	0628	12	CLR	3.00	BR	45	7.0	44	6.6	43	6.0	93	0	000		30.00		M	SP			30.08
07	0643	12	CLR	1.75	BR	43	6.0	42	5.6	41	5.0	93	0	000		30.00		M	SP			30.08
07	0651	12	CLR	3.00	BR	45	7.0	45	7.2	45	7.0	100	0	000		30.01		M	SP			30.09
07	0653	12	CLR	5.00	BR	45	7.2	45	6.9	44	6.7	96	0	000		30.01	3	M	AA	006		30.09
07	0753	12	CLR	10.00		57	13.9	54	12.3	52	11.1	83	0	000		30.02		M	AA			30.10
07	0853	12	CLR	10.00		68	20.0	58	14.4	50	10.0	53	5	VR		30.03		M	AA			30.11
07	0953	12	CLR	10.00		73	22.8	57	14.1	44	6.7	35	6	360		30.03	1	M	AA	009		30.11
07	1053	12	CLR	10.00		76	24.4	58	14.5	43	6.1	31	7	080		30.03		M	AA			30.11
07	1153	12	CLR	10.00		78	25.6	59	14.9	43	6.1	29	8	360		30.01		M	AA			30.09
07	1253	12	CLR	10.00		80	26.7	60	15.8	45	7.2	29	3	VR		29.98		M	AA			30.06
07	1353	12	CLR	10.00		81	27.2	61	16.0	45	7.2	28	8	040		29.95	8	M	AA	019		30.03
07	1453	12	CLR	10.00		81	27.2	62	16.4	47	8.3	30	9	040		29.93		M	AA			30.01
07	1553	12	CLR	10.00		80	26.7	63	16.9	50	10.0	35	9	330		29.92		M	AA			30.00
07	1653	12	CLR	10.00		77	25.0	62	16.9	52	11.1	42	8	320		29.93	6	M	AA	018		30.01
07	1753	12	CLR	10.00		72	22.2	61	16.1	53	11.7	51	9	300		29.94		M	AA			30.02
07	1853	12	CLR	10.00		66	18.9	59	15.0	54	12.2	65	0	000		29.95		M	AA			30.03
07	1953	12	CLR	10.00		61	16.1	57	13.9	54	12.2	78	0	000		29.96	3	M	AA	008		30.04
07	2053	12	CLR	10.00		56	13.3	54	12.4	53	11.7	90	0	000		29.97		M	AA			30.05
07	2153	12	CLR	10.00		53	11.7	52	11.0	51	10.6	93	0	000		29.98	1	M	AA	011		30.06
07	2253	12	CLR	9.00		53	11.7	52	11.3	52	11.1	96	0	000		29.98		M	AA			30.06
07	2353	12	CLR	8.00		52	11.1	51	10.5	50	10.0	93	0	000		29.98		M	AA			30.06