

Thompson Data Quality Control Report

Cruises: P\_14N/01

P\_14N/02

P\_10\_/00

P\_31\_/02

ISS02\_/02

ISS02\_/03

ISS02\_/06

ISS02\_/08

ISS02\_/10

IR\_03\_/02

**Daniel M. Gilmore and Shawn Smith**

World Oceanic Circulation Experiment(WOCE)

Surface Meteorological Data Assembly Center

Center for Ocean Atmospheric Prediction Studies

The Florida State University

August 20, 2001

Report WOCEMET 96-8

Version 2.0

*Addendum:*

Members of the WOCE Hydrographic Project Office (WHPO) and WOCEMET met at the 13th Data Products Committee (DPC) meeting in College Station, TX to discuss reconciliation of the WOCE cruise line designators. This was done in anticipation of the future release of version 3 of the WOCE global data set, and resulted in changes to several WOCE cruise line designations.

On August 20, 2001 WOCEMET removed the WOCE designation for cruises ISS02\_/02, ISS02\_/03, ISS02\_/06, ISS02\_/08, ISS02\_/10, and IR\_03\_/02. The quality control information for these data sets has been left in this report for the user, but please note that the cruises ISS02\_/02, ISS02\_/03, ISS02\_/06, ISS02\_/08, ISS02\_/10, and IR\_03\_/02 are NOT WOCE cruises.

WOCEMET combined the WOCE designators for the lines P\_\_14N/01 and P\_\_14N/02 to be referenced as P\_\_14N/00. The quality control information for this data has been left in this report for the user, but please note that the lines previously known as P\_\_14N/01 and P\_\_14N/02 are now combined together under the designation P\_\_14N/00.

### *Introduction:*

The data referenced in this report were collected from the research vessel Thompson (call sign: WSRY, data provider: Neil Bogue, School of Oceanography, University of Washington) IMET automated data collection system from each of 10 separate cruises (2 of which overlap) for WOCE. All data were received in electronic format. The data were converted to the FSU standard format and then pre-processed using an automated data checking program. Next a visual inspection was completed by a data quality evaluator (DQE) who reviewed, modified, and added appropriate quality control(QC) flags to the data. Details of the WOCE QC procedures can be found in Smith et al. (1996). The data quality control report summarizes the flags for the Thompson IMET data, including flags added by both the pre-processor and the analyst.

### *Statistical Information:*

The data from the Thompson were expected to include observations every minute from 9 cruises. The start and end dates, the number of observations, and the number and percentage of non-Z flags for each cruise is given in table 1. Time

(TIME), latitude (LAT), longitude (LON), platform heading (PL\_HD), platform speed over water (PL\_SPD), platform course (PL\_CRs), platform speed over ground (PL\_SPD2), earth relative wind direction (DIR), earth relative wind speed (SPD), atmospheric pressure (P), air temperature (T), sea temperature (TS), relative humidity (RH), atmospheric radiation (RAD), rainrate in millimeters/minute (RRATE), and rainrate in millimeters/hour (RRATE2) were quality controlled. A total of 5,935,690 values were checked with 108,481 flags added resulting in 1.83 percent of the values being flagged. The distribution, including percentages flagged for each variable sorted by type, is detailed in table 2.

**Table 1:** List of dates and number of records and flags for each of the cruises

<b>CTC</b>	<b>Dates</b>	<b>Number of Records</b>	<b>Number of Values</b>	<b>Number of Flags</b>	<b>Percent Flagged</b>
P__14N/01	07/06/93-08/12/93	52,673	895,441	36,896	4.02
P__14N/02	08/13/93-08/31/93	25,531	434,027	4,567	1.05
P__10_/00	10/05/93-11/09/93	51,462	874,854	13,868	1.59
P__31_/02	01/25/94-02/18/94	34,349	583,933	874	0.14
ISS02_/02	01/08/95-02/03/95	31,628	537,676	73	0.01
ISS02_/03 IR_03_/02	03/13/95-04/09/95	38,920	661,640	2,555	0.39
ISS02_/06	05/03/95-05/19/95	23,621	401,557	12,694	3.16
ISS02_/08	07/17/95-08/15/95	40,840	694,280	16,891	2.43
ISS02_/10	08/17/95-09/15/95	40,349	685,933	17,066	2.49

Variable	B	F	G	H	I	J	K	L	M	S	T	Total	Percentage of Total Data Flagged
TIME											49	49	0
LAT		274						133				407	0
LON		274						133				407	0
PL_HD	1			4		101	82					187	0
PL_SPD						102	91			3		196	0
PL_CRG				4		101	83					188	0
PL_SPD2	22					1326				1		1349	0
DIR				4		1885	14919			431		17239	4
SPD				4	5	2652	50774			26		53461	14
P			4424		1	595	14411		1215			20646	5
T			32		9	624	1003		1215	12		2895	0
TS			68		9		5847			18		5940	1
RH			438	11		557	1295		1214			3505	0
RAD	4					481	292		1215			1992	0
RRATE												0	0
RRATE2										7		7	0
<b>Total:</b>	<b>27</b>	<b>548</b>	<b>4962</b>	<b>19</b>	<b>18</b>	<b>8424</b>	<b>88797</b>	<b>266</b>	<b>4859</b>	<b>498</b>	<b>49</b>	<b>36954</b>	<b>1</b>
<b>Percentage of Total Data Flagged</b>	<b>0.00</b>	<b>0.01</b>	<b>0.07</b>	<b>0.00</b>	<b>0.00</b>	<b>0.12</b>	<b>1.27</b>	<b>0.00</b>	<b>0.07</b>	<b>0.01</b>	<b>0.00</b>	<b>1.73</b>	

**B:** Data Point out of Bounds  
**F:** Unreal Ship movement

**G:** Data point >4 standard deviations from climatological mean  
**H:** Discontinuity in data  
**I:** Interesting data point  
**J:** Erroneous data point  
**K:** Caution/Suspect Data  
**L:** Ship position over land  
**M:** Mechanical Instrument Failure  
**S:** Spike in data  
**T:** Time not Sequential

*Summary of Flags:*

**A. Significant problems**

Normally for IMET vessels, the data assembly center(DAC) receives only winds relative to the ship along with the necessary navigation values--platform heading or wind compass, platform speed over ground and platform course over the ground. From these, the DAC computes true winds using the method described in smith et al. (1996).

For the Thompson, PL\_HD, PL\_SPD2, PL\_CRSS, PL\_WDIR, and PL\_WSPD were used to calculate all DIR and SPD values. The results were less than ideal, however. As is illustrated in example

1, both DIR, at 4.04% of the data, and SPD, at 13.75% of the data, retained a signal of the ship's movement. This is the reason for the high percentage of "K" flags added to DIR and SPD. Since our calculation method has been verified, other speculations for this result are left to the user.

**(Example 1)**

There were not any other significant problems with this data set. Of the 14,412 “K” flags added to pressure(P), all are a result of a signature of the ship’s movement within the pressure observations, especially during the P\_\_14N/01 cruise. We are assuming that the barometer was placed in a location such that when the ship was moving, an additional pressure was exerted by the oncoming air on the barometer. This caused the barometer to read higher when the ship was moving with a signature difference between 0.1mb and 2.0mb. The problem, however, seems to have been remedied before the P\_\_14N/02 cruise as it only rarely reappears during any following cruises. No confirmation of instrument malfunction was available to date.

During preprocessing, 4,424 “G” flags were added to atmospheric pressure(P). These are due to the extreme low pressure events



that occurs during times when the Thompson is near the Antarctic coast. For pressure to vary more than 4 standard deviations from climatology during one of these events is not uncommon. However, since the flags are more descriptive than cautionary, the analyst left the flags to indicate these low pressure events.

Atmospheric pressure, air temperature, relative humidity, and atmospheric radiation all have 1,215 "M" flags because the sensors recorded all observations of these variables as the same for 22 hours on 07/07/93 - 07/08/93. A similar occurrence happened on 07/17/95 except that the sensors didn't go dead for an extended period of time. Rather they would transmit 1 value for many continuous observations, then transmit another value for more continuous observations with steps of 0.5mb - 1mb each time. This could indicate on-board calibration, but no confirmation was available. These values, all 481 of them on that day for P,T,RH, and RAD, were flagged with a "J". Erroneous data, "J", flags were also added to PL\_HD, PL\_SPD, PL\_CRIS, and

PL\_SPD2 mainly due to the same value being transmitted for an extended period of time.

**B.) Other Cautionary Flags:**

- DIR had 431 “S” flags added and SPD had 26 “S”. These spikes were mostly a result of the wind vane or anemometer recording inaccurate measurements when the ship changed heading.
- TS had 5,847 “K” flags added because the sea temperature was exactly the same from 07/22/95 - 07/25/95.
- TS also had 68 “G” flags added due to low sea temperatures.
- RH had 1,295 “K” flags added because of readings that were at 100% for extended periods of several minutes or more.
- RH also had 438 “G” flags added by the preprocessor when RH

was far below climatology.

- T had 1003 “K” flags added due mainly to 2 problems:

- On 07/25/95 and 08/28/95, the air temperature plateaus and remains constant for several minutes. This should not happen with data being recorded to the 0.01 degC.

- Then, on 08/14/95, the temperature, in about a 3 hour period, goes through several cycles of smooth increases and decreases between 30 and 35 degC.

- RAD had 292 “K” flags added because of plateauing patterns similar to that of T.

- Nine “I” flags were added to each T and TS due to rapid temperature changes.

For example, on 08/02/93 2 “I” flags are added to T because the air temperature drops 4 degC in 10 minutes. In addition to these, there were a relatively insignificant number of “B”, “F”,

“G”, “H”, “L” and “S” flags that one would expect with any large data set.

- Several corrections were made to the data prior to conversion to NetCDF

format. These changes are outlined in Appendix A.

*Final Note:*

These data are in very good condition and, with the exception of the problems noted above, the analyst foresees no difficulty in using this data.

*References:*

Smith, S.R., C. Harvey, and D.M. Legler, 1996: Handbook of Quality Control Procedures and Methods for Surface Meteorology Data. WOCE Report No. 141/96, Report WOCEMET 96-1, Center for Ocean Atmospheric Prediction Studies, Florida State University, Tallahassee, FL 32310.

**Appendix A**

*An outline of all changes made to these data before conversion to NetCDF format*

<b>Type of Error</b> (Correction Made)	<b>Dates &amp; Times Occurred</b> (Dates are DD/MM/YY format)
<i>Missing Latitude Value</i> (Line was deleted)	29/03/95 @ 14:22
<i>Additional Characters</i> (Characters were deleted)	01/02/95 @ 17:31 14/05/95 @ 03:55
<i>Latitude and Longitude in incorrect format</i> (Format of lat and lon was adjusted)	18/09/94 @ All Times 19/09/94 @ All Times 21/09/94 @ All Times 22/09/94 @ All Times 24/09/94 @ 0:00-12:34
<i>Data Not in Correct Format for Read</i> (Additional comma delimiters added for missing rain data)	11/10/94 @ 0:00-04:52
<i>Data Not in Correct Format for Read</i> (Additional comma delimiters added for missing wind data)	11/10/94 @ All Times 12/10/94 @ 0-14:28

*Values input into the data in  
incorrect type.*

(Values were changed from  
integer to real by adding a .0  
to the end.)

15/01/95 @ 09:11  
15/01/95 @ 09:39  
17/01/95 @ 17:58  
18/01/95 @ 08:08  
18/01/95 @ 12:19  
18/01/95 @ 18:50  
19/01/95 @ 13:53  
21/01/95 @ 08:40  
23/01/95 @ 05:07  
27/01/95 @ 00:02  
27/01/95 @ 05:14  
27/01/95 @ 10:32  
27/01/95 @ 12:14  
27/01/95 @ 15:34  
31/01/95 @ 16:50  
01/02/95 @ 19:23  
01/02/95 @ 19:47  
01/02/95 @ 22:09  
03/02/95 @ 01:31  
03/02/95 @ 01:58  
21/02/95 @ 00:31  
24/02/95 @ 02:34  
24/02/95 @ 02:39  
24/02/95 @ 03:19  
21/03/95 @ 00:00  
23/03/95 @ 13:38  
26/03/95 @ 20:11  
30/03/95 @ 18:38  
02/04/95 @ 11:09  
02/04/95 @ 12:05  
08/05/95 @ 02:14  
14/05/95 @ 13:01  
14/05/95 @ 13:09  
14/05/95 @ 22:17  
26/06/95 @ 02:09



	04/07/95 @ 01:51
	08/07/95 @ 15:34
	08/07/95 @ 17:19
	08/07/95 @ 17:20
	08/07/95 @ 18:45
	08/07/95 @ 23:45
	09/07/95 @ 04:50
	09/07/95 @ 05:37
	09/07/95 @ 19:08
	20/07/95 @ 10:43
	20/07/95 @ 22:17
	28/07/95 @ 02:15
	30/07/95 @ 06:28
	30/07/95 @ 15:15
	01/08/95 @ 06:59
	01/08/95 @ 09:06
	01/08/95 @ 12:01
	01/08/95 @ 14:40
	02/08/95 @ 23:30
	04/08/95 @ 01:30
	04/08/95 @ 05:04
	04/08/95 @ 10:13
	04/08/95 @ 17:17
	04/08/95 @ 20:48
	05/08/95 @ 17:03
	06/08/95 @ 14:16
	06/08/95 @ 14:56
	06/08/95 @ 16:59
	07/08/95 @ 05:59
	08/08/95 @ 06:11
	08/08/95 @ 23:58
	10/08/95 @ 07:34
	10/08/95 @ 10:53
	11/08/95 @ 21:29



	30/08/95 @ 11:09
	30/08/95 @ 18:57
	30/08/95 @ 22:49
	31/08/95 @ 12:12
	31/08/95 @ 16:50
	02/09/95 @ 17:24
	09/09/95 @ 14:07
	10/09/95 @ 05:52
	14/09/95 @ 22:08
	05/10/95 @ 13:49
	07/10/95 @ 23:00
	08/10/95 @ 04:18
	08/10/95 @ 18:55
	16/10/95 @ 03:51